
ponds
spatial
management
environmental
pond
phytoplankton
primary
filamentous
macrophytes
variables
algae
diversity
dispersal
water
b-diversity
producers
EMB
green
Fig
Table
study
studies
significant
species
ecosystems
may
groups
showed
artificial
a-diversity
three
used
variation
assemblages
Soininen
Legendre
ART
drivers
Juan
relative
regional
partitioning
small
size
using
explained
Iguez
fraction
total
model
high
higher
importance
contribution
EXC
based
types
local
Thus
scale
typology
Finlay
Moran
Beisner
among
producer
related
low
deviance
respectively
pure
factors
suggesting
substratum
two
strategies
expected
revealed
biodiversity
selected
Declerck
test
composition
effects
use
Since
significantly
analyses
DIN
construction
SAV
km2
also
practices
similar
Spatial
However
2011b
Borcard
limitation
macrophyte
sjtek
effect
processes
TP
functional
regime
influence
natural
vegetation
mainly
disturbance
areas
Bio
highest
e.g
seasonal
De
development
increasing
role
dredging
including
included
Chl
distance
purposes
since
previous
filters
located
analysis
Reynolds
linear
submerged
embankment
propagule
Fuentes-Rodr
level
data
aquatic
Casas
sites
type
Heino
area
levels
variance
patterns
rates