LOCAL
SPATIAL
HOST
ABUNDANCE
DYNAMICS
POPULATION
LARGE-SCALE
NEGATIVE
YEAR
INFLUENCED
BBS
STUDY
PASSERINE
ATER
SPECIFIC
AFFECTED
SIGNATURE
HIGHER
BROWN-HEADED
PARAMETER
POSITIVE
SCALES
BIRD
CONTINENTAL
WITHIN
MEADOWLARK
MODEL
STRAUSBERGER
ECOLOGICAL
RANGE
RATHER
LARGER
PLAINS
AREAS
SMITH
HOSTS
FRAGMENTATION
ROUTE
OUTCOMES
MORRISON
HISTORY
PERIOD
HOMOGENEOUS
LANDSCAPES
INCREASED
RELATIONSHIPS
LANDSCAPE
LEVELS
EXPECTED
FIG
RESULTS
ADULT
FIRST
PATTERNS
LEAVE
PREFERENCE
CONSERVATION
DATA
RESPONSES
FUNCTIONAL
COMPONENT
TRAITS
DYNAMIC
AMONG
KM
DEMOGRAPHY
CHANGES
SEE
BIRD
VIREO
HABITATS
STRUCTURE
APPENDIX
THREE
DEMOGRAPHIC
THEREFORE
RICKLEFS
PARTICULAR
RESPONSE
FORESTED
AARHUS
COMMUNITY
MAY
BIOTIC
ANALYSIS
UNDERSTANDING
LIVING
INFLUENCE
TURN
INFLUENCES
SPECIES
THOMPSON
LOW
FRAGMENTED
HOWEVER
FRANCE
CP2H
COWBIRD
POPULATIONS
DISPERSAL
HABITAT
SI
COMMUNITIES
ITERATIONS
SPATIALLY
SUCCESS
INTERACTIONS
RECENT
RATES
GROWTH
TABLE
COWBIRDS
COWBIRD
ABUNDANCES
ENVIRONMENTAL
PARASITISM
COWBIRDS
SPACE
NORTH
GREAT
ONE
RELATED
NEGATIVELY
CONSISTENT
TRIGGER
ASHLEY
ROUTES
EFFECTS
PROCESSES
FOREST
COMPONENTS
INFERENCE
HOST
COVARIATION
HIGH
THUS
ABUNDANT
NUMBER
VARIABLES
PARASITES
VALUES
ROBINSON
EIGHT
LARGE
SCALE
NEST
SPARROW
EASTERN
INRA
PARASITE