
pattern
latitudes
gradient
shallow
Martinez
results
logistic
tropical
streams
consistent
Latitudinal
However
also
freshwaters
stream
criteria
analysis
Figure
regression
deep
factors
higher
trimmed
aquatic
findings
using
increasing
linear
Richness
omnivorous
patterns
proportion
number
evidence
potential
latitudinal
relationship
similar
although
Greenland
observed
significant
Fish
low
total
warm
relative
temperatures
area
Oemke
surveyed
omnivores
study
Pattern
producers
fresh
due
diversity
matter
ecosystem
absolute
separately
level
zero
found
two
vegetal
latitude
Mello
scale
analyzed
temperate
estuaries
systems
diet
one
shown
Uruguay
RRO
Floeter
published
consumers
least
omnivore
Winemiller
Gonza
richness
Wooton
herbivorous
Research
line
rates
digestive
relationships
freshwater
clear
species
lakes
Hillebrand
Omnivorous
structure
may
lat
data
different
along
Teixeira-de
system
increase
see
including
lower
food
material
ecosystems
Table
America
considered
waters
webs
temperature
supported
fish
reservoirs
effects
marine
studies
lez-Bergonzoni
IGB
used
community
animal
gut
vs
mechanisms
trophic
example
plant
feeding
r2
primary
regions
minimum
omnivory
Meerhoff
greater
region
excluding
estuarine
less