eutrophication
fish
change
lakes
may
nutrient
lake
changes
sediment
Jeppesen
macrophyte
TP
macrophytes
production
benthic
phytoplankton
productivity
past
studies
Davidson
effects
d13C
nitrogen
community
abundance
example
analysis
pelagic
number
also
cladocerans
transfer
climate
taxa
record
higher
Fig
cladoceran
clear
ecology
condition
however
time
flora
positive
biomass
based
particularly
shift
communities
enrichment
Sayer
shifts
inference
increased
term
trophic
developed
perhaps
phosphorus
impact
provide
models
remains
used
size
concentrations
biodiversity
methods
shown
diatom
many
model
plants
composition
signal
loading
difficult
primary
Paleolimnol
key
food
two
Total
recent
Bennion
one
demonstrated
49:391
palaeolimnological
mg
ZF
state
algae
long-term
recovery
large
Battarbee
response
PVI
algal
zooplankton
applied
important
study
sedimentary
Søndergaard
diatoms
sediments
track
Daphnia
structure
variation
predation
function
years
total
use
water
ecological
shallow
palaeolimnology
multiple
times
ecosystem
single
nutrients
result
assemblages
contemporary
Anderson
techniques
functions
l-1
approaches
data
levels
concentration
increases
species
pigments
major
Furthermore
long
using
Vadeboncoeur
represent
related